

# Express Seller Pricelist T2

2010 uge 10

---

**IMX DataSystems**

Strandgade 70,1 - 1401 København KTlf.: 32941318 - e-mail: info@imx.dk

---



# IBM Express Seller Price List

IBM System X Express  
Sign up on: [www.express-selector.com](http://www.express-selector.com)



## IBM System x3200 M2-M3, x3250 M2-M3



Deploy, manage and service with ease.

A range of processor choices offering multiple levels of price/performance.

Maximize and protect your IT investment thanks to strong platform stability.

Models	Part no.	Pris ex moms
<b>x3200 M2, M3</b>		
7328-EAG, Quad Core Xeon X3430, 2.4GHz/1333MHz, 8MB L3 Cache, 1*2GB ECC, OpenBay HotSwap 3.5" SAS/SATA, ServeRaid BR10i, 1*401 W Fixed PS, Multiburner	7328EAG	6.688
7328-EBG, Quad Core Xeon X3440, 2.53GHz/1333MHz, 8MB L3 Cache, 1*2GB ECC, 2*500 GB SATA 3.5" HotSwap, ServeRaid MR10i, 1*401 W Fixed PS, Multiburner	7328EBG	10.001
4368-K8G, Quad Core Xeon X3330, 2.66GHz/1333MHz, 6MB L3 Cache, 2*1 GB ECC, 3.5" OpenBay HotSwap SAS/SATA, Fixed 400W PS	4368K8G	6.444
7328-K1G Intel Core 2 Duo G6950 Dual Core, 2.8GHz/1066MHz, 3 MB L2 Cache, 1*1GB ECC, 1*250GB SATA, 1*BR10i, Multiburner, 1*400W Fixed PS	7328K1G	5.745
7328-K2G Intel Core i3-530 Dual Core, 2.93GHz/1333MHz, 4 MB L2 Cache, 1*2GB ECC, 1*250GB SATA, 1*BR10i, Multiburner, 1*400W Fixed PS	7328K2G	7.402
7328-K3G Intel Xeon Quad Core x3430, 2.4GHz/1333MHz, 8 MB L3 Cache, 2*2GB ECC, Openbay HotSwap 3.5" SAS/SATA, 1*M1015, Multiburner, 1*400W Fixed PS	7328K3G	9.416
<b>x3250 M2, M3</b>		
4252-EAG, Quad Core Xeon X3430, 2.4GHz/1333MHz, 8MB L3 Cache, 1*2GB ECC, OpenBay HotSwap 3.5" SAS/SATA, ServeRaid BR10i, 1*351 W Fixed PS, Multiburner	4252EAG	7.432
4252-EBG, Quad Core Xeon X3440, 2.53GHz/1333MHz, 8MB L3 Cache, 1*2GB ECC, 2*500 GB SATA 3.5" HotSwap, ServeRaid BR10i, 1*351 W Fixed PS, Multiburner	4252EBG	9.256
4194-E2G, Core 2 Duo E7200, 2.53GHz/1066MHz, 3 MB L2 Cache, 2*512 MB ECC, 3.5" HotSwap SAS/SATA, 351W Fixed PS, Multiburner	4194E2G	6.399
4194-K3G, Quad-core Xeon X3360, 2.83GHz/1333MHz, 12MB L2 Cache, 95w, 1GB (1*1GB) ECC, OpenBay Hot-Swap SAS/SATA, CDRW/DVD, 1x351w Fixed	4194K3G	7.972
4252-K1G Intel Core 2 Duo G6950 Dual Core, 2.8GHz/1066MHz, 3 MB L2 Cache, 1*1GB ECC, OpenBay SimpleSwat SAS/SATA, 1*BR10i, 1*351W Fixed PS	4252K1G	6.004
4252-K2G Intel Core i3-530 Dual Core, 2.93GHz/1333MHz, 4 MB L2 Cache, 1*2GB ECC, OpenBay HotSwat 3.5" SAS, 1*BR10i, Multiburner 1*400W Fixed PS	4252K2G	6.657
4252-K3G Intel Xeon Quad Core x3430, 2.4GHz/1333MHz, 8 MB L3 Cache, 2*2GB ECC, OpenBay HotSwat 3.5" SAS/SATA, 1*BR10i, Multiburner 1*400W Fixed PS	4252K3G	8.344
<b>Options</b>		
<b>Harddisk</b>		
73GB 15K H/S SAS (3.5) HDD (40K1043)	43W7481	1.660
73GB 15K U320 SFF SAS (43X0837)	42D0444	2.143
146GB HS 3.5" 15K SAS HDD (40K1044)	43W7482	2.105
146GB 10K 2.5" SAS Hot-Swap HDD (43X0824)	42D0443	1.824
160GB 7200-rpm Simple-swap SATA HDD (39M4504)	43W7590	626
160GB HS SATA II (39M4522)	41Y8208	623
250GB 7200-rpm Simple-swap SATA HDD (39M4508)	43W7594	768
250GB 7200 RPM Hot-swap SATA HDD (39M4526)	43W7598	767
IBM 300GB Hot Swap 15K SAS HDD (43X0802)	43W7506	3.640
IBM 450GB 15K SAS 3.5-inch HS HDD (42D0519)	42D0560	4.308
IBM 500 GB HS SATA HDD (39M4530)	41Y8226	1.536
IBM 500 GB SS SATA HDD (39M4514)	41Y8218	1.536
IBM 750GB Simple Swap SATA (43W7572)	41Y8222	2.325
IBM 750GB Hot Swap SATA (43W7576)	41Y8232	2.272
IBM 73 GB 15K 6 Gbps SAS 2.5" SFF Slim-HS HDD (42D0672)	44W2202	1.900
IBM 146 GB 10K 6 Gbps SAS 2.5" SFF Slim-HS HDD (42D0632)	44W2194	1.611
IBM 146 GB 15K 6 Gbps SAS 2.5" SFF Slim-HS HDD (42D0677)	44W2201	3.062
IBM 300 GB 10K 6 Gbps SAS 2.5" SFF Slim-HS HDD (42D0637)	44W2193	3.002
<b>Memory</b>		
1 GB (2x512MB) PC2-6400 CL6 ECC 800 MHz DIMM (based on 46C7443)	49Y3685	410
2 GB (2x1GB) PC2-6400 CL6 ECC 800 MHz DIMM (based on 46C7428)	49Y3686	828
<b>Netkort</b>		
Pro/1000 PT Dual Port Server Adapter by INTEL (39Y6126)	44W3102	1.071
Express NetXtreme II 1000 PCI-E Ethernet Adapter (39Y6066)	44W3278	535
<b>Storage Controller</b>		
Emulex 4 Gbps FC Single-Port PCI-e HBA for IBM System	43W8352	4.567
QLogic 4Gb FC Single-Port PCIe HBA for IBM System	43W8353	4.567
ServeRaid-MR10M SAS/SATA Controller (43W4339)	44W3250	4.704
SerRAID-MR10I SAS/SATA Controller	44W3274	2.589
Remote Supervisor Slimline Adapter (RSA) II (39Y9566)	44W3103	1.223
<b>Misc.</b>		
IBM UltraSlim Enhanced SATA Multi-Burner (46M0902)	49Y3714	570
IBM UltraSlim Enhanced SATA DVD-ROM (46M0901)	49Y3715	567

\* withdrawn from marketing

Please note that IBM cannot be held responsible for any misprints.

# IBM Express Seller Price List

IBM System X

Sign up on: [www.express-selector.com](http://www.express-selector.com)



## IBM System x3400 M2

	Part no.	Pris ex moms
<b>Models</b>		
7837-K8G, Intel Xeon Quad-Core E5504, 2GHz/800MHz, 4 MB L2 Cache, 4 GB ECC Chipkill (2*2GB), OpenBay HotSwap 3.5" SAS/SATA, 670 W Fixed PS, ServeRaid BR10i, multiburner	7837K8G	9.112
7837-KCG, Intel Xeon 4C E5504, 2GHz/800MHz, 4 MB L2 Cache, 2*2 GB Chipkill ECC Open bay HotSwap 2.5" SAS/SATA, M1015, 2*920W HS PS, Multiburner	7837KCG	10.495
7837-KAG, Intel Xeon 4C E5504, 2GHz/800MHz, 4 MB L2 Cache, 2*2 GB Chipkill ECC, 2*146GB 10K HotSwap SAS/SATA, M5014, 2*920W HS PS, Multiburner	7837KAG	13.208
7837-K9G, Intel Xeon 4C E5504, 2GHz/800MHz, 4 MB L2 Cache, 3*1 GB Chipkill ECC, Open bay 3.5" HotSwap SAS/SATA, M5014, 2*920W HS PS, DVD	7837K9G	11.468
7837-KDG, Intel Xeon 4C E5506, 2.13GHz/800MHz, 4 MB L2 Cache, 2*2 GB Chipkill ECC, Open bay 2.5" HotSwap SAS/SATA, M1015, 2*920W HS PS, Multiburner	7837KDG	11.286
7837-K5G Xeon 4C E5520, 2.26GHz/800MHz, 8MB L2 Cache, 3*1GB ECC, OpenBay HotSwap 2.5" SAS/SATA, BR10i, 1*675 PS, Multiburner	7837K5G	11.377
7837-KEG Intel Xeon Dual Core E5502, 1.86GHz/800MHz, 4 MB L2 Cache, 1*1 GB Chipkill ECC OpenBay SimpleSwat SATA, BR10i, 2*670W HS PS, DVD	7837KEG	9.477
7837-KFG Intel Xeon Quad Core E5504, 2GHz/800MHz, 4 MB L2 Cache, 1*4 GB Chipkill ECC, OpenBay HotSwat 3.5" SAS/SATA, M1015, 2*670W HS PS, Multiburner	7837KFG	10.875
7837-KGG Intel Xeon Quad Core E5506, 2.13GHz/1066MHz, 4 MB L2 Cache, 1*4 GB Chipkill ECC OpenBay HotSwat 2.5" SAS/SATA, M1015+upgrade key, 2*670W HS PS, Multiburner	7837KGG	11.681
7837-KHG Intel Xeon Quad Core E5520, 2.26GHz/1066MHz, 8 MB L2 Cache, 1*4 GB Chipkill ECC OpenBay HotSwat 2.5" SAS/SATA, M1015+upgrade key, 2*670W HS PS, Multiburner	7837KHG	12.707

### Options

#### Harddisk

73GB 15K H/S SAS (3.5) HDD (40K1043)	43W7481	1.660
146GB HS 3.5" 15K SAS HDD (40K1044)	43W7482	2.105
IBM 300GB Hot Swap 15K SAS HDD (43X0802)	43W7506	3.640
IBM 450GB 15K SAS 3.5-inch HS HDD (42D0519)	42D0560	4.308
160GB HS SATA II (39M4522)	41Y8208	623
250GB 7200 RPM Hot-swap SATA HDD (39M4526)	43W7598	767
IBM 500 GB HS SATA HDD (39M4530)	41Y8226	1.536
IBM 750GB Hot Swap SATA (43W7576)	41Y8232	2.272
IBM 73 GB 15K 6 Gbps SAS 2.5" SFF Slim-HS HDD (42D0672)	44W2202	1.900
IBM 146 GB 10K 6 Gbps SAS 2.5" SFF Slim-HS HDD (42D0632)	44W2194	1.611
IBM 146 GB 15K 6 Gbps SAS 2.5" SFF Slim-HS HDD (42D0677)	44W2201	3.062
IBM 300 GB 10K 6 Gbps SAS 2.5" SFF Slim-HS HDD (42D0637)	44W2193	3.002
160GB 7200-rpm Simple-swap SATA HDD (39M4504)	43W7590	626
250GB 7200-rpm Simple-swap SATA HDD (39M4508)	43W7594	768
IBM 500 GB SS SATA HDD (39M4514)	41Y8218	1.536
IBM 750GB Simple Swap SATA (43W7572)	41Y8222	2.325

#### Memory

1GB (1x1GB) PC3-10600 CL9 ECC DDR3 1333MHz Low Power LP RDIMM (44T1480)	49Y3711	484
2 GB (1x2 GB) PC3-10600 CL9 ECC DDR3 1333MHz, Chipkill LP RDIMM (44T1482)	49Y3693	706
4 GB (1x4 GB) PC3-10600 CL9 ECC DDR3 1333MHz, Chipkill LP RDIMM (44T1483)	49Y3694	1.307

#### Processor

Intel Xeon Processor E5504 4C 2.00 GHz 4 MB Cache, 800 MHz 80w (46D1351)	49Y3707	2.279
Intel Xeon Processor E5520 4C 2.26 GHz 8 MB Cache, 1066 MHz 80w (46D1352)	49Y3708	3.876

#### Tapedriver & Medier

IBM DDS5 36/72GB SATA Tape Drive (43W8480)	44W3105	3.040
IBM HALF-HIGH LTO GENERATION 3 SAS TAPE DRIVE (43W8478)	49Y3697	10.047

#### Netkort

Pro/1000 PT Dual Port Server Adapter by INTEL (39Y6126)	44W3102	1.071
Express NetXtreme II 1000 PCI-E Ethernet Adapter (39Y6066)	44W3278	535

#### Storage Controller

SerRAID-MR10i SAS/SATA Controller	44W3274	2.589
Emulex 4 Gbps FC Single-Port PCI-e HBA for IBM System	43W8352	4.567
QLogic 4Gb FC Single-Port PCIe HBA for IBM System	43W8353	4.567
ServeRAID-BR10i SAS/SATA Controller (44E8689)	49Y3701	1.406
Brocade 8GB FC Single-port HBA for IBM System x (46M6049)	49Y3702	6.057
Brocade 8GB FC Dual-port HBA for IBM System x (46M6050)	49Y3703	10.214

**Misc.**

Virtual Media Conversion Option (VCO)

49Y3716

[699](#)

\* withdrawn from marketing

Please note that IBM cannot be held responsible for any misprints.

# IBM Express Seller Price List

IBM System X

Sign up on: [www.express-selector.com](http://www.express-selector.com)



## IBM System x3500 M2

	Part no.	Pris ex moms
<b>Models</b>		
7839-K6G, Intel Xeon 4C E5504, 2GHz/800MHz, 4 MB L2 Cache, 3*1 GB Chipkill ECC, Open bay HotSwap 2.5" SAS/SATA, M5014, 2*920W HS PS	7839K6G	12.692
7839-K4G, Intel Xeon 4C E5504, 2GHz/800MHz, 4 MB L2 Cache, 3*2 GB Chipkill ECC, Open bay 2.5" HotSwap SAS/SATA, BR10i, 1*920W HS PS, Multiburner	7839K4G	11.331
<b>Options</b>		
<b>Harddisk</b>		
IBM 73 GB 15K 6 Gbps SAS 2.5" SFF Slim-HS HDD (42D0672)	44W2202	1.900
IBM 146 GB 10K 6 Gbps SAS 2.5" SFF Slim-HS HDD (42D0632)	44W2194	1.611
IBM 146 GB 15K 6 Gbps SAS 2.5" SFF Slim-HS HDD (42D0677)	44W2201	3.062
IBM 300 GB 10K 6 Gbps SAS 2.5" SFF Slim-HS HDD (42D0637)	44W2193	3.002
<b>Memory</b>		
1GB (1x1GB) PC3-10600 CL9 ECC DDR3 1333MHz Low Power LP RDIMM (44T1480)	49Y3711	484
2 GB (1x2 GB) PC3-10600 CL9 ECC DDR3 1333MHz, Chipkill LP RDIMM (44T1482)	49Y3693	706
4 GB (1x4 GB) PC3-10600 CL9 ECC DDR3 1333MHz, Chipkill LP RDIMM (44T1483)	49Y3694	1.307
<b>Processor</b>		
Intel Xeon Processor E5504 4C 2.00 GHz 4 MB Cache, 800 MHz 80w (46D1351)	49Y3707	2.279
Intel Xeon Processor E5520 4C 2.26 GHz 8 MB Cache, 1066 MHz 80w (46D1352)	49Y3708	3.876
<b>Power Supplies</b>		
Redundant Cooling and Power for x3500 M2 (44X0381)	49Y3706	1.360
<b>Tapedriver &amp; Medier</b>		
IBM DDS5 36/72GB SATA Tape Drive (43W8480)	44W3105	3.040
IBM HALF-HIGH LTO GENERATION 3 SAS TAPE DRIVE (43W8478)	49Y3697	10.047
<b>Netkort</b>		
Pro/1000 PT Dual Port Server Adapter by INTEL (39Y6126)	44W3102	1.071
Express NetXtreme II 1000 PCI-E Ethernet Adapter (39Y6066)	44W3278	535
<b>Storage Controller</b>		
SerRAID-MR10I SAS/SATA Controller	44W3274	2.589
Emulex 4 Gbps FC Single-Port PCI-e HBA for IBM System	43W8352	4.567
QLogic 4Gb FC Single-Port PCIe HBA for IBM System	43W8353	4.567
ServeRAID-BR10i SAS/SATA Controller (44E8689)	49Y3701	1.406
Brocade 8GB FC Single-port HBA for IBM System x (46M6049)	49Y3702	6.057
Brocade 8GB FC Dual-port HBA for IBM System x (46M6050)	49Y3703	10.214

\* withdrawn from marketing

Please note that IBM cannot be held responsible for any misprints.

# IBM Express Seller Price List

IBM System X

Sign up on: [www.express-selector.com](http://www.express-selector.com)



## IBM System x3550 M2

	Part no.	Pris ex moms
<b>Models</b>		
7946-K1G, Intel Xeon Quad Core E5504 (80W) 2 GHz/800MHz, 4 MB L2 Cache, 3*1 GB ECC, HotSwap 2.5" SAS/SATA, OpenBay, ServerRaid BR10i, 1 HS PS 675 W	7946K1G	10.928
7946-K7G, Intel Xeon Quad Core E5504 (80W), 2 GHz/800MHz, 4 MB L2 Cache, 3*1 GB ECC HotSwap 2.5" SAS/SATA 146 GB 10k, ServeRaid BR10i, 1*HS PS675 W, Multiburner	7946K7G	12.958
7946-KBG, Intel Xeon Quad Core E5506 (80W) 2.13 GHz/1066MHz, 4 MB L2 Cache, 2*2 GBB ECC HotSwap 2.5" SAS, OpenBay, ServeRaid M5014, 1 HS PS 675 W, Multiburner	7946KBG	12.608
7946-KCG, Xeon Quad Core E5530, 2.4GHz/1033MHz, 8MB L2 Cache, 3*2 GB ECC, HotSwap 2.5" SAS OpenBay, ServeRaid M5014, 1*HS PS 675 W	7946KCG	15.321
7946-KAG, Intel Xeon Quad Core E5504 2GHz/800MHz, 4 MB L2 Cache, 3*2 GB ECC, 2*146GB 10K HotSwap SAS, M5014, 1* 675W HS PS, Multiburner	7946KAG	14.523
7946-KDG, Intel Xeon Quad Core E5520, 2.26GHz/1066MHz, 8 MB L2 Cache, 3*2 GB ECC, 2*146GB 10k 2.5" HotSwap SAS, M5014, 2*675W HS PS	7946KDG	16.096
7946-K3G Xeon 4C E5506 (80W), 2.13GHz/800MHz, 4MB L2 Cache, 3*1GB ECC, OpenBay HotSwap 2.5" SAS/SATA, BR10i, 1*675 HS PS, Multiburner	7946K3G	11.559
<b>Options</b>		
<b>Harddisk</b>		
IBM 73 GB 15K 6 Gbps SAS 2.5" SFF Slim-HS HDD (42D0672)	44W2202	1.900
IBM 146 GB 10K 6 Gbps SAS 2.5" SFF Slim-HS HDD (42D0632)	44W2194	1.611
IBM 146 GB 15K 6 Gbps SAS 2.5" SFF Slim-HS HDD (42D0677)	44W2201	3.062
IBM 300 GB 10K 6 Gbps SAS 2.5" SFF Slim-HS HDD (42D0637)	44W2193	3.002
<b>Memory</b>		
1GB (1x1GB) PC3-10600 CL9 ECC DDR3 1333MHz Low Power LP RDIMM (44T1480)	49Y3711	484
2 GB (1x2 GB) PC3-10600 CL9 ECC DDR3 1333MHz, Chipkill LP RDIMM (44T1482)	49Y3693	706
4 GB (1x4 GB) PC3-10600 CL9 ECC DDR3 1333MHz, Chipkill LP RDIMM (44T1483)	49Y3694	1.307
<b>Processor</b>		
Intel Xeon Processor E5504 4C, 2.00 GHz 4 MB, 4 MB Cache 800 MHz (46M1078)	49Y3687	2.052
Intel Xeon Processor E5530 4C, 2.40 GHz, 8 MB, 8 MB Cache, 1066 MHz (46M1083)	49Y3688	5.200
Intel Xeon Processor E5520 4C, 2.26 GHz, 8 MB, 8 MB Cache, 1066 MHz (46M1081)	49Y3689	3.876
Intel Xeon Processor E5506 4C, 2.13 GHz, 4 MB, 4 MB Cache, 800 MHz (46M1079)	49Y3690	2.538
<b>Power Supplies</b>		
675W redundant power supply (46M1075)	49Y3704	1.310
<b>Netkort</b>		
Pro/1000 PT Dual Port Server Adapter by INTEL (39Y6126)	44W3102	1.071
Express NetXtreme II 1000 PCI-E Ethernet Adapter (39Y6066)	44W3278	535
<b>Storage Controller</b>		
SerRAID-MR10i SAS/SATA Controller	44W3274	2.589
Emulex 4 Gbps FC Single-Port PCI-e HBA for IBM System	43W8352	4.567
QLogic 4Gb FC Single-Port PCIe HBA for IBM System	43W8353	4.567
ServeRAID-BR10i SAS/SATA Controller (44E8689)	49Y3701	1.406
Brocade 8GB FC Single-port HBA for IBM System x (46M6049)	49Y3702	6.057
Brocade 8GB FC Dual-port HBA for IBM System x (46M6050)	49Y3703	10.214
IBM UltraSlim Enhanced SATA Multi-Burner (46M0902)	49Y3714	570
IBM UltraSlim Enhanced SATA DVD-ROM (46M0901)	49Y3715	567
<b>Misc.</b>		
Virtual Media Conversion Option (VCO)	49Y3716	699
Dual-port 1 GB Ethernet Daughter Card (46M1076)	49Y3717	486

\* withdrawn from marketing

Please note that IBM cannot be held responsible for any misprints.

# IBM Express Seller Price List

IBM System X Express  
Sign up on: [www.express-selector.com](http://www.express-selector.com)



## IBM System x3650 M2

	Part no.	Pris ex moms
<b>Models</b>		
7947-K1G, Intel Xeon Quad Core E5504, 2 GHz/800 MHz, 4 MB L2 Cache, 3*1 GB ECC, HotSwap 2.5" SAS/SATA OpenBay, ServeRaid BR10i	7947K1G	11.605
7947-K7G, Intel Xeon Quad Core E5504 (80W), 2 GHz/800MHz, 4 MB L2 Cache, 3*1 GB ECC HotSwap 2.5" SAS/SATA, ServeRaid BR10i, 2*146 GB 10k, 1*HS PS 675 W, Multiburner	7947K7G	13.482
7947-KEG, Xeon 4C E5506, 2.13GHz/800MHz, 4 MB L2 Cache, 2*2 GB ECC, HotSwap 2.5" SATA OpenBay, ServeRaid M5014, 1*HS PS 675W, Multiburner	7947KEG	13.132
7947-KFG, Xeon 4C E5530, 2.4GHz/1033MHz, 8 MB L2 Cache, 3*2 GB ECC, HotSwap 2.5" SATA OpenBay, ServeRaid M5014, 1*HS PS 675W	7947KFG	15.754
7947-KDG, Intel Xeon Quad Core E5504, 2GHz/800MHz, 4 MB L2 Cache, 3*2 GB ECC, 2*146GB 10K HotSwap SAS, M5014, 1*675W HS PS, Multiburner	7947KDG	15.048
7947-KHG, Intel Xeon Quad Core E5520, 2.26GHz/1066MHz, 8 MB L2 Cache, 3*2 GB ECC, 2*146GB 10k 2.5" HotSwap SAS, M5014, 2*675W HS PS, Multiburner	7947KHG	16.621
7947-KGG Xeon 4C E5506, 2.13GHz/800MHz, 4MB L2 Cache, 3*2 GB ECC, 2*146GB 10K 2.5" HotSwap SAS/SATA, M5014, 1*675W HS PS, Multiburner	7947KGG	15.405
7947-K4G Xeon 4C E5520, 2.26GHz/1066MHz, 8MB L2 Cache, 3*2 GB ECC, HotSwap 2.5" SAS/SATA, BR10i, 1*675 HS PS, Multiburner	7947K4G	13.566
7947-KJG Xeon 4C E5504 (80W), 2.0GHz/800MHz, 4MB L2 Cache, 3*1GB ECC, OpenBay HotSwap 2.5" SAS/SATA, BR10i, 1*675W HS PS, DVD	7947KJG	11.559
<b>Options</b>		
<b>Harddisk</b>		
IBM 73 GB 15K 6 Gbps SAS 2.5" SFF Slim-HS HDD (42D0672)	44W2202	1.900
IBM 146 GB 10K 6 Gbps SAS 2.5" SFF Slim-HS HDD (42D0632)	44W2194	1.611
IBM 146 GB 15K 6 Gbps SAS 2.5" SFF Slim-HS HDD (42D0677)	44W2201	3.062
IBM 300 GB 10K 6 Gbps SAS 2.5" SFF Slim-HS HDD (42D0637)	44W2193	3.002
<b>Memory</b>		
1GB (1x1GB) PC3-10600 CL9 ECC DDR3 1333MHz Low Power LP RDIMM (44T1480)	49Y3711	484
2 GB (1x2 GB) PC3-10600 CL9 ECC DDR3 1333MHz, Chipkill LP RDIMM (44T1482)	49Y3693	706
4 GB (1x4 GB) PC3-10600 CL9 ECC DDR3 1333MHz, Chipkill LP RDIMM (44T1483)	49Y3694	1.307
<b>Processor</b>		
Intel Xeon Processor E5504 4C, 2.00 GHz 4 MB, 4 MB Cache 800 MHz (46M1078)	49Y3687	2.052
Intel Xeon Processor E5530 4C, 2.40 GHz, 8 MB, 8 MB Cache, 1066 MHz (46M1083)	49Y3688	5.200
Intel Xeon Processor E5520 4C, 2.26 GHz, 8 MB, 8 MB Cache, 1066 MHz (46M1081)	49Y3689	3.876
Intel Xeon Processor E5506 4C, 2.13 GHz, 4 MB, 4 MB Cache, 800 MHz (46M1079)	49Y3690	2.538
<b>Power Supplies</b>		
675W redundant power supply (46M1075)	49Y3704	1.310
<b>Netkort</b>		
Pro/1000 PT Dual Port Server Adapter by INTEL (39Y6126)	44W3102	1.071
Express NetXtreme II 1000 PCI-E Ethernet Adapter (39Y6066)	44W3278	535
<b>Storage Controller</b>		
SerRAID-MR10i SAS/SATA Controller	44W3274	2.589
Emulex 4 Gbps FC Single-Port PCI-e HBA for IBM System	43W8352	4.567
QLogic 4Gb FC Single-Port PCIe HBA for IBM System	43W8353	4.567
ServeRAID-BR10i SAS/SATA Controller (44E8689)	49Y3701	1.406
Brocade 8GB FC Single-port HBA for IBM System x (46M6049)	49Y3702	6.057
Brocade 8GB FC Dual-port HBA for IBM System x (46M6050)	49Y3703	10.214
IBM UltraSlim Enhanced SATA Multi-Burner (46M0902)	49Y3714	570
IBM UltraSlim Enhanced SATA DVD-ROM (46M0901)	49Y3715	567
<b>Misc.</b>		
Virtual Media Conversion Option (VCO)	49Y3716	699
Dual-port 1 GB Ethernet Daughter Card (46M1076)	49Y3717	486

\* withdrawn from marketing

Please note that IBM cannot be held responsible for any misprints.

# IBM Express Seller Price List

IBM System X Express  
Sign up on: [www.express-selector.com](http://www.express-selector.com)



## BladeCenter

	Part No.	Pris ex moms
<b>BladeCenter Chassis</b>		
IBM BladeCenter S, 2*PS + 43W3581 (6-DiskStorage Module) + 39Y9195 (SAS Connectivity module), Multiburner	8886K2G	20.307
<b>BladeCenter HS12</b>		
8028-K2G, Intel X3363 Quad Core 2.83GHz/1333MHz, 12 MB L2 Cache, 2*1 GB ECC, SAS, 80W	8028K2G	10.944
<b>BladeCenter HS22</b>		
7870-K1G, Intel Xeon E5504 4 Core, 2GHz/800MHz, 4 MB L2 Cache, 2*2 GB ECC, SAS RAID, OpenBay, CPU 80W	7870K1G	12.676
7870-K2G, Intel Xeon E5560 4 Core, 2.8GHz/1333MHz, 8 MB L2 Cache, 2*4 GB ECC, SAS RAID, OpenBay, CPU 95W	7870K2G	24.000
7870-K3G, Intel Xeon E5504 4 Core, 2GHz/800MHz, 4 MB L2 cache, 3*2 GB ECC, SAS RAID	7870K3G	11.818
<b>Options</b>		
IBM 73 GB 15K 6 Gbps SAS 2.5" SFF Slim-HS HDD (42D0672)	44W2202	1.900
IBM 146 GB 10K 6 Gbps SAS 2.5" SFF Slim-HS HDD (42D0632)	44W2194	1.611
IBM 146 GB 15K 6 Gbps SAS 2.5" SFF Slim-HS HDD (42D0677)	44W2201	3.062
IBM 300 GB 10K 6 Gbps SAS 2.5" SFF Slim-HS HDD (42D0637)	44W2193	3.002
73 GB 15K 3.5-Inch SAS Hot-Swap HDD (43W7523)	42D0441	1.664
IBM ServerBlade 73GB SAS 15K SFF NHS (43X0845)	42D0445	2.143
146 GB 15K 3.5-Inch SAS Hot-Swap HDD (43W7524)	42D0442	2.105
Intel Xeon Processor E5504 4C, 2.00 GHz, 4 MB Cache, 800 MHz (44T1712)	49Y3691	2.279
Intel Xeon Processor X5560 4C, 2.66 GHz, 8 MB Cache, 1333 MHz (44T1886)	49Y3692	10.800
Express Quad-Core Intel Processor E5405 (44T1716)	44W3272	2.318
Express Quad-Core Intel Processor E5430 (44T1724)	44W3273	4.845
Express 2GB (2x1GB) PC2-5300 CL5 ECC FBD 667MHz Low Power Memory (Based on 46C7418)	49Y3682	865
Express 4GB (2x2GB) PC2-5300 CL5 ECC FBD 667MHz Low Power Memory (Based on 46C7419)	49Y3683	1.352
2 GB (1x2 GB) Single Rank PC3-10600 CL9 ECC, DDR3-1333 VLP RDIMM (44T1487)	49Y3695	706
4 GB (1x4 GB) Dual Rank PC3-10600 CL9 ECC, DDR3-1333 VLP RDIMM (44T1488)	49Y3696	1.307
SAS Connectivity Card (CIOv) for IBM BladeCenter (43W4068)	49Y3705	1.048
IBM BladeCenter SAS Expansion Card (CFFv) (39Y9190)	44W3198	994
IBM Server Connectivity Module for IBM BladeCentre (39Y9324)	44W3199	7.524
<b>Switch</b>		
NORTEL LAYER 2/3 COPPER GBE SWITCH (25R8948)	39Y9222	10.936

\* withdrawn from marketing

Please note that IBM cannot be held responsible for any misprints.



Dual-port 1 GB Ethernet Daughter Card (46M1076)	49Y3717	486	✓	✓				
<b>Cabinet</b>								
IBM 42U S2 Standard Rack Cabinet (9307SSX)	9307SRX	8.611						
<b>Storage Controller</b>								
Emulex 4 Gbps FC Single-Port PCI-e HBA for IBM System	43W8352	4.567	✓	✓	✓	✓	✓	✓
QLogic 4Gb FC Single-Port PCIe HBA for IBM System	43W8353	4.567	✓	✓	✓	✓	✓	✓
Emulex 8Gb FC Single-port HBA for IBM System x (42D0485)	49Y3730	6.042						
Emulex 8Gb FC Dual-port HBA for IBM System x (42D0494)	49Y3731	10.214						
Brocade 8GB FC Single-port HBA for IBM System x (46M6049)	49Y3702	6.057						
Brocade 8GB FC Dual-port HBA for IBM System x (46M6050)	49Y3703	10.214	✓	✓	✓	✓	✓	✓
IBM 3Gb SAS HBA v2 (44E8700)	49Y3725	1.155						
ServeRAID 8K SAS/SATA Controller Option (25R8064)	43W8312	1.924						
ServeRaid-MR10M SAS/SATA Controller (43W4339)	44W3250	4.704	✓	✓	✓	✓	✓	✓
SerRAID-MR10I SAS/SATA Controller	44W3274	2.589	✓					
ServeRAID-BR10i SAS/SATA Controller (44E8689)	49Y3701	1.406		✓	✓	✓	✓	✓
ServeRAID M5015 SAS/SATA Controller	49Y3719	3.546		✓	✓	✓	✓	✓
ServeRAID M5014 SAS/SATA Controller	49Y3720	2.690		✓	✓	✓	✓	✓
ServeRAID M1000 Series Advance Feature Key	49Y3721	761	✓	✓	✓	✓	✓	✓
ServeRAID M5000 Series Advance Feature Key	49Y3722	1.168		✓	✓	✓	✓	✓
<b>Misc.</b>								
Express Hot-swap SAS/SATA 4 Pac HDD Backplane Upgrade Kit (Based on 39Y8406)	49Y3684	704						
Remote Supervisor Slimline Adapter (RSA) II (39Y9566)	44W3103	1.223	✓					
IBM Virtual Media Key (46C7526)	49Y3723	1.520						
IBM Virtual Media Key for Entry Systems (46C7527)	49Y3724	1.520						
IBM BladeCenter SAS Expansion Card (CFFv) (39Y9190)	44W3198	994						✓
IBM Server Connectivity Module for IBM Bladecentre (39Y9324)	44W3199	7.524						✓
LTO Generation 3 Media 5 Pack Option (25R0032)	49Y3698	1.238						
IBM RDX 160 GB Internal USB Drive (46C5364)	49Y3699	1.640						
IBM RDX 160 GB Cartridge (46C5366)	49Y3700	1.003						
SAS Connectivity Card (CIOv) for IBM BladeCenter (43W4068)	49Y3705	1.048						✓
IBM USB Conversion Option - 4 pack (39M2895)	49Y3709	2.893						
DPI Universal Rack PDU w/ CEE-VII europe LC (39Y8952)	49Y3710	1.094						
IBM UltraSlim Enhanced SATA Multi-Burner (46M0902)	49Y3714	570					✓	✓
IBM UltraSlim Enhanced SATA DVD-ROM (46M0901)	49Y3715	567					✓	✓
Virtual Media Conversion Option (VCO)	49Y3716	699	✓	✓	✓	✓	✓	✓
* withdrawn from marketing								
Please note that IBM cannot be held responsible for any misprints.								